




The Plastic Films Specialist




Polyester (PET) HardCoat Series Grade Cross Compatibility Reference

Tenopex® HardCoat Polyester Series	Macdermid Autotype	Folex	Reflex	Agfa	HYNT	Coveme	Marnot / Tekra
TX-EBGG-T Clear Polished / Polished	Autoflex EBG "0" and "7" Series	GO-HC/AN			FHC		XL
TX-EBAG-T Anti-Glare	Autoflex EBA "0" and "7" Series	GO-AG			EHC, THC		AG
TX-FG-T Fine Matte / Polished	Autotex F "0" and "7" Series	GO-MA, GO-FT NQ	LT				
TX-VG-T Velvet / Polished	Autotex V "0" and "7" Series	GO-PU/SM					
TX-ST Soft Touch	SoftTouch						
TX-HL(B)-T Brushed (Hairline) Long							
TX-HL(S)-T Brushed (Hairline) Shredded	Steel						
TX-UY4200-AS-B Antistatic Blue Clear PET (Xray) Film				X168B.224			
TX-EBGG-DP, Hydrophilic						Kamafoil HNW/HHNW	

Notes :

- “-T” suffix denotes a general compatibility with solvent based screen printing inks and UV Curable Screen Printing inks, thus suitable for customers using both types of ink systems. This is compatible with Autoflex/Autotex “0” series and “7” Series.
- ‘-UV” suffix grade is available for a more universal range of UV Screen Printing and UV digital inks ; this grade is compatible to Autoflex/Autotex “3” Series.
- For Inkjet and specialty Indigo Digital Print Press compatibility, please opt for “-DP” grade.
- Upon request for cost efficiency, we also supply with “-S” suffix denotes for with solvent inks only ; this grade is compatible to Autoflex / Autotex standard “0” series



Tenopex Plastics Co., Ltd

Unit 101, Building 2, No. 136, Hua Xia Road Qiaotou Town,
Dongguan City, Guang Dong Province, China 523532
(86) 138 25753516 marketing@tenopexplastics-cn.cn
www.tenopexplastics.com

Global Sales Office

(852) 6888 0563 helen.koh@optimaplusgroup.com
(65) 87267516 helen.koh@optimaplusgroup.com

These are typical properties and are not intended for specifications purposes. If minimum certifiable properties are required, please contact your local sales representative. Reported values are based on 0.250mm thickness film unless otherwise noted.

Each user is responsible for making its own determination as to the suitability of Tenopex's products, services and recommendations for the user's particular use through appropriate end-use testing and analysis. Although any information or technical recommendation will be given without warranty nor guarantee nor implied, that the results indicated herein are obtained under end-use conditions. Except as provided in seller's standard conditions of sale, seller shall not be responsible for any loss resulting from any uses of its products or services described herein.